

# ProBor® 10.1 Wood Preservative Liquid

## Product Description

**ProBor® 10.1 Wood Preservative Liquid** is a dual action wood preservative and surface biocide. It is used to preserve wood from wood-rotting fungi and wood-destroying insects. It can also be used as a surface biocide for the treatment of moulds and fungi, including dry rot, on internal and external surfaces such as masonry, concrete, fences, decking and sheds.

## Benefits

- Dual purpose
- Excellent penetration
- Solvent-free
- Low odour
- Ready for use

## Properties

Appearance	Clear liquid
Size(s) & Packaging	5 and 25 litre units
Coverage	Brush or Spray Apply 1 litre per 3 – 4 m <sup>2</sup> of surface (wood) Apply 1 litre per 1 m <sup>2</sup> of surface (masonry and concrete)
	Dip Dip wood for at least 3 minutes
Storage	Store above 10 °C in dry conditions in the original container. If the temperature falls below 10 °C there is a risk that crystals may form in the product. If this occurs, the product should not be used. Store in a safe place, keep out of reach of children. Keep away from food, drink and animal feedstuffs.
Shelf Life	12 months
Active Ingredients	Boric Acid (12 %w/w); Alkyl (C12-16) Dimethyl Ammonium Chloride (BACS) (1.96 %w/w)
HSE Number	10564
Re-entry Time	48 hours or until surfaces are dry



## Application Information

### Preparation

The Control of Substances Hazardous to Health (COSHH) regulations apply to the use of this product at work. Ensure that the operator has read the relevant safety data sheet and is wearing the appropriate safety equipment. Always read the label.

Before application of wood preservatives it is recommended to first remove the source of the moisture. Rotten timbers should be removed and replaced. Guidance on identification of woodworm and active infestations can be found in the *Woodworm Identification & Treatment Guide* available from Safeguard Europe Ltd.

### Application

#### Wood Preservative

**ProBor® 10.1 Wood Preservative Liquid** is intended for application to unpainted, unvarnished timber. Remove all coatings such as varnish and paint before application. All timber surfaces should be cleaned of dust as far as practically possible.

#### Brush

Apply 1 litre of product per 3 – 4 m<sup>2</sup> of timber. Three liberal coats should be considered to be the equivalent to a coarse spray treatment.

#### Spray

Using a coarse spray apply 1 litre of product per 3 – 4 m<sup>2</sup> of timber (at least two coats are recommended). Wear suitable personal protective equipment to avoid spray on hands and face.

## Surface Biocide

**ProBor® 10.1 Wood Preservative Liquid** is intended to act as a sterilising fluid for internal and external surfaces against mould and fungi.

When used on masonry affected by dry rot (*Serpula lacymans*) particular attention should be taken. It is recommended that before undertaking a dry rot treatment that operators are familiar with either the Safeguard publication, “*Dry Rot and its Control*”, or BRE Digest 299, “*Dry rot: its recognition and control*”, where details of appropriate treatments are laid out.

Apply **ProBor® 10.1 Wood Preservative Liquid** at a rate of 1 litre per 1 m<sup>2</sup> to surfaces using a coarse spray (not atomised).

## Other Information

For professional use only. For use only as a wood preservative and surface biocide. For full health and safety information consult the safety data sheet. This product is approved for use under the Control of Pesticides Regulations (1986) for use as directed. HSE No.10564. Use pesticides safely. Always read the label.

---

*Information given is in good faith based on experience and usage, however all recommendations are made without warranty or guarantee, since the conditions of use are beyond our control. All goods are sold in accordance with our Conditions of Sale, copies of which are available on request. Customers are advised that products, techniques and codes of practice are under constant review and changes occur without notice; please ensure you have the latest updated information.*